



Enjoy a restful sleep!



# COMPACT 1.4

COMPACT is a classic standalone air conditioning unit for long-haul trucks. It is used primarily during driving breaks or overnight rest periods. It is powered directly from the vehicle's battery and is installed on the roof of the cabin.



The COMPACT 1.4 is a 1400 W compact air conditioning unit, featuring a base unit positioned outside the vehicle and an interior installation kit.

A combination of base unit and specific installation kit should be chosen depending on the make, model and cabin of the vehicle where it is to be installed.

Our unit operates with the engine running or off, helping reduce fuel consumption and CO<sub>2</sub> emissions as it is powered directly by the vehicle's battery.



## CHARACTERISTICS

- Inverter technology
- Manual and automatic operation
- Digital thermometer (in °C and °F)
- Interior control panel
- Radio frequency remote control (RF)
- Dual battery protection



## BENEFITS

- Fully electric unit.
- Fuel saving.
- Less maintenance.
- 100% environmentally friendly.
- Allows good rest in the cabin.
- Straightforward installation.
- Pre-charged system.



THE WORK ENVIRONMENT YOU WANT

Madrid, Spain

T. +34 - 918 775 840

E. [ventas@dirna.bergstrominc.com](mailto:ventas@dirna.bergstrominc.com)

W. [www.bergstrominternational.com/es/](http://www.bergstrominternational.com/es/)



## REST AND SAFETY ON THE ROAD

COMPACT is the range of standalone air conditioning systems specially designed for long-haul trucks.

COMPACT allows drivers to sleep in their vehicle cabins and enjoy a restful sleep, helping to improve road safety when they resume driving. ➡➡



Our unit for night-time use is designed to be mounted horizontally and can be easily installed without any modifications to the vehicle's engine or drilling into the cabin of trucks with a hatch.

### TECHNICAL CHARACTERISTICS

Compressor	2 variable speed compressors
Refrigerant gas	R134a
Pre-charged with gas	Yes
Voltage	24 V
Power W (*)	1400 W
BTU/h (*)	4,777 BTU/h
Kcal/h:	1204 Kcal/h
Power consumption	10.5 - 18 A
Maximum airflow	800 m <sup>3</sup> /h
Fan speeds	5
Compressor control unit	Standard
Electronic control	Yes
Remote control	Yes
Dual battery protection	Standard
Size	826 x 726 x 179 mm
Weight	29.9 kg

Works with the battery and alternator fitted as standard in the vehicle.

\*In accordance with JIS standard, test conditions: outside temperature 35°C, return temperature 27°C.